Ed's Notes SHARE Summer 2017 Providence, RI

06Aug-11Aug2017

Note: Session Numbers are listed to help find related materials on

the SHARE web site: http://www.share.org

Note: Membership in SHARE is not required to view any proceedings

#### Highlights:

- \* Attendance Steady in Recent Conferences Pittsb Total Attendees=1133 Paid Attendees=912 SHARE companies=261 Seattl Total Attendees=1004 Paid Attendees=890 SHARE companies=238 Orland Total Attendees=1062 Paid Attendees=892 SHARE companies=2?? SanAnt Total Attendees=1203 Paid Attendees=1090 SHARE companies=2?? SanJos Total Attendees=1??? Paid Attendees=1103 SHARE companies=2?? Provid Total Attendees=1??? Paid Attendees=1??? SHARE companies=2??
  - \* Sacramento 5-10Mar2018 is SHARE 130

Sessions attended:

06Aug2017 Sunday

20948 SHARE Volunteer All-Hands Meeting (SHARE 129)

- SHARE Sacramento CA March 11-16, 2018
- SHARE St. Louis MO August 12-17, 2018
- Scheduling Oct. 27-28, 2017
- Winter 2019 ???
- Summer 2019 Pittsburgh PA
- SHARE Association taking over from SHARE Inc.
  - SHARE.org/proxy
  - > \$5 million in reserves
- New Speaker "TLC"
  - first time user speaker get full week conference registration
  - Speaker gateway enhanced
- SHARE Volunteer Recruitment and Onboarding
  - SHARE website based on Socius which is stabilized, not integrated with Comfex scheduler or A2Z app for smart phones
- SHARE Lead-IT Project
  - Leadership, Empowerment, Apprenticeship and Diversity in IT
  - Contract between US Dept. of Labor and NC A&T University with SHARE and IBM participating
  - IBm and B&BT are actively involved
  - Verify IT-trained credential
  - Registered Apprenticeship
  - LEADIT.org
- JES3 Letter to Maria Boonie of IBM about deprecation of JES3 - 16 customers
- => SHARE Select might be a better value?

07Aug2017 Monday

20932 SHARE Live! Driving the future of IBM Z

- Ginni Rometty (IBM Chairman, President and CEO) video
- "unchain the ...frame".com
   innovation
  -Blockchain
- 21716 Live! MVS Keynote: Leading in the Trust Economy by Ed Jaffe of Phoenix Software and Skip Robinson of SoCalEd
  - z/OS Trends and Directions
     by Scott Engleman, the IBM z/OS Offering Manager,
     and Tarun Chopra, IBM z14 Engineering
    - HMC managed by mobile devices
    - z13 average memory is 2 TB versus 500 GB on z12
- => Encrypt at I/O driver/Media Manager level
- zERT tool to watch network encryption
- => 2.2 data set encryption being released very soon
  - Documentation content online being refreshed weekly instead of quarterly
  - SCRT and Liberty in z/OS Base
- => z/OS 2.3 on z14 has a minimum 8 GB real memory per LPAR requirement
  - Payments Pricing Solution price per transaction
  - Container Pricing is method of measuring workload
    - not Docker Containers
  - FIXCAT IBM.Function.PricingInfrastructure
     3 Petabytes of all Flash Storage on DS8k
  - CPACF instruction is key to pervasive encryption not Cryto Express card
- => SMT on zIIP?
  - Global Foundry is IBM's Z chipmaker
- 21555 MVS Core Technologies Project (MVSE) Opening and WSC Hot Topics by Mary Anne Matyaz
  - z/OS 2.3 with Extended Support ends in 2025
  - Critical APARs of Interest by John Shebey of IBM
  - => OA53380 HIPER and PE-fixing UA91915/14/UA91857, one is PE
  - => OA52244 HIPER Unix "fork" Copy-On-Write default fix will disable C-O-W
  - => PI842249 Java HIPER affects z/OSMF
    - TechNote coming about sending diagnostic data to IBM in an era of pervasive encryption
  - Bob Rogers "Do what you like, you'll do that the best"
  - Gary Puchkoff on IBM on z/OS 2.3
  - z/OSMF Self-provisioning
  - z/OSMF Cloud Provisioning Management ( maybe in ADCD )
  - z/OSMF file and data set review and management
  - z/OSMF uses Liberty Embedded (part of z/OS)

- named IZUANG1 (Unix daemon)
- z/OSMF files and data set browser
  - create, delete, copy, rename
  - archived data set support
  - enqueues
  - attributes read or update
  - editor not for existing ISPF users but for newer users
- Security
  - authorize to data set and encryption key
- Liberty (WAS in z/OS)
  - customers can use without support
  - 4 copies of Liberty in a file system
    - Quarterly refreshes oldest level rolls off
    - symlink to current relase but allows access to older releases
- 21582 z/OS Requirements: Influencing IBM Development by Peter Relson and Steve Warren of IBM
  - z/OS 2.3 satisfied requirements
    - romount recovery=on as default (was =off)
    - AGGRGrow
    - RMF metrics
    - 8 character userid
    - zFS shrinking (free space)
    - PARMLIB for ICHRDSNT
    - AMASPZAP checksum update
- 21557 Live! What's New in z/OS 2.3 Ocean State Edition by Gary Puchkoff of IBM
  - zHyperlink limited to 150 meters
  - z/OS 2.3 on z14 requires 8 GB LPAR minimum
    - Health Check coming soon
  - z14 has true random number generator (TRNG)
  - CF Level 22 for Coupling Facility encryption
  - z/OSMF -
    - new plug-in for Parallel Sysplex Management
      - initially for viewing only, later with change capabilities
    - Console application timeline style
    - Auto-start during IPL
    - z/OS Cloud middleware provisioning
      - self-provisioning
    - Notification updates via e-mail and push
    - Improved files and data sets REST API
    - Workflow Engine
      - security
      - REXX and script execution
    - Incident Logs manual incidents, APAR search
    - Software management
  - RACF PARMLIB for ICHRDSNT
  - https://github.com/IBM/IBM-Z-zOS
    - -z/OS 2.3 migration workflows from 2.2 and 2.1
    - Education Assistant modules
  - SMC-D
  - SMF Constraint Relief
    - 2048 Record types
  - WLM
  - DFSort E15/E35 can handle blocks of records as well as one record a time

- Runtime diagnostics ENQ and GRS latch contention blockers => - JES Static init settings analysis

- IDCAMS ZFS keyword on DEFINE

=> - 8 character TSO/E userid

=> - KC4z "Look At" facility

=> - IBM Resource Link hosts z/OS 2.3 PDFs

=> - JES2 is Strategic

- SMB is not going to be updated - see SOD (Statement of Direction) - IBM Function Registry for z/OS

- SCRT now a base element of z/OS

=> - DFrmm UXTable simplification

- z/OS LIberty Embedded

- customer usable as "unsupported"

- Security

- CF structure encryption

- Policy-enabled data set encryption

- Extended format BSAM, QSAM, VSAM, RLS, zFS

- JES NJE Security Health Check

- SAF security deployment descriptor
  - callable service usable by CA and RACF

- Application Development

- JES2 DLM = supports 18 characters

- JES2 JCL symbols current jobname and job number

- JES2 passphrase support

- New ICSF Crypto release available 14Sep17 as Web downloadable
- 21552 A Technical Overview of the IBM z14 by Gary Hutchison of IBM
  - 1832 MIPS per CP

- 170 processors

- 32 TB maximum memory
- 146000 MIPs max
- Model 3906
- z14 HMC does not have Classic Interface
- 21609 IBM Product Documentation by Sue Shumway of IBM
  - More curent context new function and APARs

- Starting with V2R3

- 3 months -> weekly on Knowledge Center
- next day on PDFs if change approved

=> - z/OS V2R3 now at ResourceLink

- subscribe and Select Doc types and get daily e-mail of changes

- z/OS Search Scope Catalog

- element or deliverable level
- MVS messages, Data Areas, others
- => z/OS Adobe-Indexed PDF Collection download (just z/OS, not CICS or DB2)
- => IBM Doc Buddy app for smartphones
- => KC4z: LookAt facility
  - z/OS Internet Library
- => Hot Topics now digital-only
- => z/OS Workflows are now on Github
  - Solutions and beyond

- APAR-style (all info in one doc. or just links to pages in "books")
- BookManager -> 1403 format
- HMC (and z/OSMF) going to wizard-style interface

#### 08Aug2017 Tuesday

#### 20933 Live! Keynote: Security

- Compliance

- if external directive, just heading in the right way
- affects others in your industry
- represents minimums
- Leadership is meeting and exceeding requirements
- Violating security of BCP
- "The essence of control is comparison to a standard"
- Run your own compliance checks, don't wait on auditors
- 20461 TFA session for mainframe
- encryption, MFA, monitoring (use a SIEM)
- baseline for every configuration and check against them
- "auditors aren't that good, someone found the issues earlier"

## 21561 z/OS 2.3 JES2 Product Update and Latest Status by Tom Wasik of IBM (wasik@us.ibm.com)

- Are JESXCF services uses exits or macros
- JES3 is not going away but is not going to be enhanced,
  - for example, not encrypting SPOOL
- EMAIL= on JOB or JOBGROUP statemnet
  - address should be in apostrophes (case sensitive)
  - address must be associated with userid WAEMAIL in RACF WORKATTR
- PASSWORD= now supports Pass Phrase
  - 1-8 is a password, 9-100 is a pass phrase
  - use apostophes if blanks, special characters or continued, mixed case
- NOTIFY (JES2 2.3 only) statement only for end of execution notification
  - email processing requires z/OSMF
  - ${
    m z/OSMF}$  must be active and configured for email
  - see JES2 Initialization and Tuning
  - independent of NOTIFY on JOB statement
  - JES2 2.3 in MASPLEX then input on 2.3 and run on 2.2 works - input on JES2 2.2 gets a JCL error
  - JOBDEF NFY\_SUBJECT
- Dynamic scheduling BEFORE, AFTER, SCHEDULE

# => Does our JES2 Exit propagate USER from TSO submit?

- Resliiency Tracking Resiurce Usage
  - SPOOL trkgrps (TGs)
  - JQEs
  - JOES
  - BERTS
  - Better tracking
  - Track Consumption rates
  - Project time to exhaustion \$D LIMITS - Init Deck checker - very basic and simple
  - Added a "JES3" SMF record to JES2 to provide history

- Privilege spaces reserved spaces to deal with resource exhaustion
  - privileged JOBs, STC, TSO Logons

- "HASP" emergency subsystem

- secondary subsystem on TSO Logon - RACF FACILITY JES.EMERGENCY.ssname
- LOGON SUBSYS(xxx)
- Does it affect our TSO Logon Exit? =>
  - Resiliency Init Deck Checker
    - PGM=HASJESCK in batch or STC
    - not authorized
    - recommended values
    - SMF Type 84
  - JECL Tracker
  - JCL simplify
    - &SYSEMAIL
    - &SYSJOBNM
    - &SYSJOBID
  - DESC keyword on JOBCLASS(xxx) statement
- => OA48299 for JES2 2.2 and 2.1 co-existence
- => OA52614 Lost execution time after OA50551 (if \$PJ with AGE is used)
- 21553 HMC 2.14.0 Security Enhancements by Brian Valentine of IBM
  - see Brian Valentine sessions from previous SHARE to setup HMC Security
  - Biggies MFA and BCPii, Secure Console-to-Console communications
  - 2.14.0 available Sept. with z14 Availability - see chart in presentation
  - MFA (Multi-Factor Authentication)
    - Shared secret key unique to each user
  - Firmware Integrity Monitoring
    - today validate code on HMC at delivery to HMC
    - 2.14... boot validates HMC instead
    - signature/hash verification continuously
    - via call home, sent to IBM ResourceLink for additional checking
    - Monitor, or Monitor and Protect
      - IBM recommends Monitor only
      - SE on z14 always
      - HMC on new build feature 82 or 83
  - Any task can use FTP, FTPS, or SFTP
  - BCPii Security Control
- 21547 Live! Migrating to z/OS 2.3: 1 of 2 by Marna Walle of IBM
  - z/OS Liberty Profile is base element of z/OS- FMID HWLPEMO
  - z/OSMF requires Java 8 64-bit unless you explicitly bypass the requirement
  - Java 7.0 and 7.1 are End-of-Service 9/2019
  - z14 and z/OS 2.3 requires 8 GB minimum LPAR
    - 2G for z/VM guest machines
- => z/OSMF autostart prepare now

=> - Use Feedback tab (for comments and suggestions for Workflow) => - ServerPac Default JOB LINES= changed 21548 Live! Migrating to z/OS 2.3: 2 of 2 by Marna Walle of IBM - Workflow and Migration book are at -30 level - Migration activity before IPL - IEASYSxx REAL defaults to 0 instead of 76 KB - on 2.3, code old default and Generic Tracker shows V=R users - SDSF Generic Tracker Panel - HZR now started in IEACMD00 - remove from COMMNDxx -> - SYSSTC Service Class => - see z/OS Probelm Management book for HZR info - D XCF, C, TYPE=LOGR - many customers have HBB6603 and should move to HBB7705 - Logstream Offload and Staging in IXGCNFxx in PARMLIB - Comm Server actions - mostly security recommendations - FTP ANONYMOUS FILETYPEJES= - Not used at SAS so new default works => - DFP - prevent data set encryption until every image is at OA50569 - STGADMIN.SMS.ALLOW.DATASET.ENCRYPT - UACC NONE - If RACF FIELD is Active, set DATASET.DFP... in FIELD to UACC NONE => - DFP zFS version default to 5 instead of 4 - format -aggrversion - z/OSMF - IZUPRMxx - AUTOSTART (LOCAL) or (CONNECT) - AUTOSTART\_GROUP - Java 8 64-bit minimum of 4 GB memory - zIIP - LOCAL on DEVT, CONNECT on DEVx in same AUTOSTART\_GROUP => - add /global to /shared 09Aug2017 Wednesday 21607 JES2 E-Mail by Tom Wasik of IBM - See handout - RACF WAEMAIL in WORKATTR segment - email address is case sensitive and Unique - JES2 EMAIL= n JOB and JOBGROUP - address in apostrophes - &SYSEMAIL set to email address - JES2 PASSWORD= now supports pass phrase - Password blanking rules changed - not in NJE headers - Pass phrase is only used in JES input, discarded afterwards - NOTIFY JCL statement - notify once in the life of a JOB - z/OSMF active and configured for e-mail

- e-mail does not have to be known to security

address space name

=> - userid for JES2EDS STC with keyring named to match JES2EDS

- certificate (personal) created and added to keyring

- userid configured as z/OSMF user and userid authorized to z/OSMF e-mail
- 21583 z/OS 2.3 Client Web Enablement Toolkit by Steve Warren of IBM
  - HTTPS connections AT-TLS, System SSL
  - HTTPS Services SSL Options or use AT-TLS
  - z/OS 2.3 host command environment built-in
- => zFS IOEFSPRM format\_aggrversion default to 5 instead of 4
- 21556 SDSF 2.3

by Rocket Software

- PROC
- SRCH
- SYS System Info Panel
- also in z/OSMF SDSF UI
- => Set Display On (leave on)
- => Set Action On for Help for Panel Commands
- => SRCH a dslist from PROC or PARM, etc.
  - 2.3 scrollable main panel (SDSF Table)
    - sort by name
    - select by action character
    - GT (Generic Tracker)
    - SMSG and SMSV
  - VMAP
  - Network Activity Panel
  - UI90064 z/OS 2.3 Toleration
  - Main Panel Toleration
    - dummy DD to revert panel see presentation
  - SDSF RACF Class active and RACLIST in Z/OS 2.3 can be bypassed ISFPRMxx CONNECT AUXSAF(NOFAIL RC4)
- 21586 z/OS 2.3 User Experience by Ed Jaffe of Phoenix Software
- => AMASPZAP PARM=PRECHECK
- => zFS DEFINE CLUSTER ZFS CYL(4)
  - F HZSPROC, ADD, PARMLIB=..., CHECK
  - HZSPRM POLICY system filter
  - 8 Character USERIDs
    - in z/OS, March 1995 in MVS/ESA 4.2
  - z/OSMF Auto-start
  - OA52987 and OA53205 for SCRT
- => PMR 38269,756 IFAPRDxx Disabled
- => Shopz order U01872290 ESP Products
- 21597 What's New in z/OSMF? by Zhi Li of IBM
  - History see presentation
  - Firefox plug-in

=> - ISPF 2.3 - Use Eight Character layout..=2 to see 8 all the time

10Aug2017 Thursday

21554 Cloud Provisioning in z/OSMF by Hiren Shah of IBM

- MWaaS - MiddleWare as a Service

- UI46543 later Cloud Provisioning on z/OSMF enhancement for V2R2
- => .../features/zosmf/cloud/ to get Workflows, PTFs, etc.
- => DB2 V12 PTF UI45573 (PI73492) are CP Workflow
- => ZMFCLOUD resource class in RACF 0A50130
  - see IZUSEC and IZUCASEC, IZUWMSEC in SAMPLIB for Cloud Provisioning

- IZUPRMxx CLOUD\_SAF\_PREFIX

- => Create LANDLORD by RACF PERMIT command
  - see more Cloud Provisioning Actions
  - Domain admin. does most initial setup
  - Network admin. (Resourece admin.), others
  - /systems/z/resources/ztrial
- 21312 Adventures in Porting (to AMODE 64) by Ray Mullins of Phoenix Software
  - (E)JES wants to be leading edge but not bleeding edge

- SLGR to clear registers

- GF 64-bit target, 32-bit source
- LLGT(R) Load Logical Grande 31bits Register
- Goal was Relieve Storage Constraints below the 2 GB bar
- SYSSTATE 64
- 20910 Dynamic Deployment of z/OS TCPIP Resources at the speed of Cloud by Gus Kassimis of IBM
  - => IBM CLoud Provisioning Redbook
    - Net Admin sets up "cloud" by network resource pools before provisioning
    - z/OSMF Configuration Assistant
    - Stack Properites use 2 PDSEs
      - include in TCPIP configuration or in JCL
- 21550 OSA-HMC Centralized Management for Next Gen Network/Host Connectivity

by Stephen Valley of IBM

- valley@us.ibm.com OSA designer
- OSA/SF "sunsetting" z/OS Application

- moving function to HMC/SE

- See handout for creating a OSASF role (user)
  - Role and then a User
- OSA-E management by OSA/SF
- See OSA Advanced Facilties task
  - Port Parameters View includes statistics
  - OSA ICC and OSASF on HMC are similar
  - RC 1-999 are Warnings, >999 block...
  - Validate panel values
- OSA-D QDIO

9

- HMC - no pop-ups on z14, tabs instead

## 21598 z/OSMF Advanced Programming by Zhi Li of IBM z/OSMF

=> - z/OSMF Configuration Wrokflow

=> - Use JOB service to check IEBEDIT-submitted jobs? Jobname and id? - results in JSON document format

=> - use restfiles/ds/-(volser)/<dsname> => - use TSO/E Address Space service

- see z/OSMF Programming Guide

- httpRequester plug-in for Firefox to drive GET/PUT/POST for testing
- see session 21508 LAB Creat Workflow

# 21581 IBM Skunkworks Project for z/OS

by Steve Warren and Marie Buzzetti

- z/OS Advanced Technology Team (zATT)
- z/OS Cloud Data Access
  - free download to use with CLoud Providers such as amazon or azure
  - github
- Enterprise PGP (EPGP)
  - Cloud-based security solution
  - Consolidates keys in one location
    - z Crypto Express card
  - Cognitive DB on z/OS

#### 11Aug2017 Friday

### 21319 Live! Thin Provisoning for z/OS by Covey Smerton and Nick Clayton of IBM

- New DS8k uses Small Extents (21 Cyl) with 53 per Large Extents Metadata stored on DS8k as well (0.5% of space)

- ORL (over-Provisioning Ratio) = virtual/real storage

- with Large Extents, DS8k 8M extents with 8 Petabytes of capacity for Fixed Block and 7.4 PB for CKD
- DS8k (DS8880) added CKD Extent Space Efficient volumes in 8.1 in 2016
- In Transaction Processing, Large volumes are better
- 8.3 coming in next few weeks
  - can enforce ORLimit
  - allow remaining extent alert
- When extent is freed, a background format is done to erase residul data
  - shows up as write activity in RMF reports

#### 21689 ISPF Tools and Teips by Lionel Dyck and Tom Conley

- => CBT files 312-314 or lbdsoftware.com
- => CMT ISPF Edit Macro
  - simplify entering comments
  - language sensitive
  - EMAC ISPF Edit macro
    - Table of all Edit macros that are documented
    - all panels, etc. are embedded in the REXX exec
- => OMVSMAN

- Display ISFP Table list of all available OMVS man pages
- man -K .
- ZTSOHELP
  - Display ISPF Table of all available TSO commands in SYS1.HELP
- => STEMEDIT on CBT tape file 183/895
  - PDSEGEN
    - To Exploit PDSE Member Generations
  - PLPISPF Product Launch Point
- => REXXFORM ISPF Edit macro reformats REXX code
  - RUNC ISPF Edit macro
  - SPELLC ISPF Edit macro
    - dictionary of 7K words
  - TRYIT to test REXX exec
- => J line command to submit a member
- => T line command to issue a TSO command
- ==> SETUNDO KEEP
  - ISPF Config to enable SETUNDO and storage
  - by user, SETUNDO KEEP
- 20844 Bit Bucket x'36'
  - by Ed Jaffe, TomConley, Mary Anne Matyaz, Sam Knutson, Skip Robinson
  - SHARE 129 Providence
  - German Engineering by Ed Jaffe
    - ISPFSFTP from ITSO in Germany
      - redbooks/SG24-7035 additional files
      - also see Dovetail Tech CO.z free but unsupported
  - Master the Mainframe by Ed Jaffe
    - CBT 377 Exits and zap to support Second Subsystem via LOGON command
    - z/OS 2.3 SUBSYS on LOGON command
      - only need zap to enable LOGON to MSTR
  - Prevent z/OSMF Autostart by Ed Jaffe
    - IZUPRMxx defaults to AUTOSTART(LOCAL)
    - change to AUTOSTART (CONNECT)
  - Trust but Verify by Tom Conley
    - IBM z/OS CommServer TCP/IP V4 Security Redbook
    - PORTMAP DELAYSTART TTLS in TCPIP Config
    - RSA (2048) on CERTS?
    - pagent.conf TTLSConfig twice
  - Who Let the z/OSMF Dog Out? by Tom Conley
    - z/OSMF V2R2 big enhancement but ....
      - IZUSVR1 very slow start up
- => java.config changes may help response time
- => ZAPPZIIP=YES
  - Effects of Symbolism by Mary Anne Matyaz
    - SETLOAD IPL, IEASYM
  - Bounce It! by Mary Anne Matyaz
    - SDSF SYSMSU and AVGMSU
    - bounced SDSFAUX after Set Capactiy Changed
  - Stuck on DevOps Looking for MainFrame Fun by San Knutson

- redbubble.com/shop/stickies and mainframe
- cafepress.com/ +mainframe+stickies
- teespring/@e/store...mainframe
- Distributed Console by Skip Robinson
- =>- Hold that PTF! by Skip Robinson
  - USER HOLD see presentation for syntax ++HOLD ++ RELEASE when ready USER